Societal Change and Transformation by Internet of Things (IoT)

Mohsen Hallaj Asghar

School of Computer& Information Science, University of Hyderabad Hyderabad,500046, India

Gaurav Kumar

School of Computer& Information Science, University of Hyderabad Hyderabad,500046, India

Manoj Kumar Patra

School of Computer& Information Science, University of Hyderabad Hyderabad,500046, India mohsenhallaj62@gmail.com

gks.trh@gmail.com

manojpatra.sit@gmail.com

Abstract

IoT has received much attention from scientists, industry and government all over the world for its potential in changing modern day living. IoT is envisioned as billions of sensors connected to the internet through wireless and other communication technologies. The sensors would generate large amount of data which needs to be analyzed, interpreted and utilized. Sensor will be context aware capturing device that enable modeling, interpreting and storing of sensor data which is linked to appropriate context variable dynamically. Building or home automation, social smart communication for enhancement of quality of life, that could be considered as one of the application of IoT where the sensors, actuators and controllers can be connected to internet and controlled. This paper introduces the concept of application for internet of things. This paper addresses the internet of things (IoT) as the main enabling factor of promising paradigm for integration and comprehensive of several technologies for communication solution, Identification and integrating for tracking of technologies as wireless sector and actuators. This offers the capability to measure for understanding environment indicators.

Keywords: Internet of Things (IoT), Radio Frequency Identification (RFID), Electronic Product Code (EPC).

1. INTRODUCTION

The Internet of Things (IoT) is the novel paradigm which has rapidly spread in the scenario of the emerging modern wireless communication. IoT represents a target and vision to extend the internet into the real world by embracing the everywhere, everyday object [1]. Physical device are not longer disconnected from the virtual world but it can be controlled remotely from anywhere and the capability of device and physical item can act as physical access point to the internet service provider.

Unquestionably the main consistency of the IoT idea is the collaboration in high impact for several aspects of everyday-life and manner of potential user. The most signally effectiveness of IoT in point of view is introduction domestic fields in the subject, assisted living, e-health, industrial, social internet of Things, agriculture, transportation, home automation also rise of learning a few instance of possible application scenario and achieve to the new paradigm will be useful for role of the IoT in near feature. Similarity, from another perspective for business users, the most obvious resultant will be light way in such as automation in individual and logistic, business management

also for smart transportation of assets and goods. McKinsey global institute announced by 2025 internet endpoint will touch every physical things around, such as, furniture, cars, personal device and more, it's highlight future will be arise by combined the technology with the interactive of human environment and extension diffusion of the internet of things. "Smart" object plays the main roles in the IoT vision [2]. Whereas the information technology and embedded technology would have potential to revolutionize the uses of this objects. Using the sensor, they are capable to understand the context and would be to communicate with each other "digitally upgrading "ordinary of object in this way should enhance their physical function by adding ability to digital object[3]. Precursor development are more and more obvious today such as washing machines, exercise bike, electric toothbrushes also electronic metric that all occupied with the network interface. In other application domain in IoT, will estimated the network connectivity of everyday objects can be used and track remotely from anywhere and collect-up-the information from the smart object from anytime to analyze the data as cloud smart device. This interface has many aspects of real world can be observed at unattained case at trivial cost. The use of word internet of things, which stands for vision above can be seen either simply a metaphor- in the direction way will be soon communicate with each other, uses service, purvey information and generate value-or explanation in several technical sense, IP protocol stack will be used by smart objects. The term of IoT was published by work of Auto-ID center at Massachusetts institute technology (MIT), which in 1999 started the prototype of RFID infrastructure at 2002 the co-founder and former head Kevin Ashton touched it "we need an internet of things to standardization of computer to realize the real world"[4]. Nowadays the epithet of IoT is rapidly increase and academic, industrial and people know this is the emerging and phenomenon of new IT technology. European Union and politicians initially used the term in the context of RFID technology that they tried to link the RFID with the internet of things as key component of IoT. Finally in 2009 the EU commission alluded to action plan ultimately Internet of Things as general evaluation forum for network of interconnected computers to the physical cyber world as interconnected object [5].

2. APPLICATION

IoT has a very great potential for application is society. There are several application domain which will be compact by the emergence of internet of things. The application can be classified into the various network availability, scale, coverage and repeatability of use involvement. In figure.1 [6]. We categorize the application relevant into five kind of domain, Personal communication and home automation, mobile communication Enterprise and industrial, medical, utilities. Personal and home communication, IoT products power usage data and make it available to the house electricity for communication of smart object through the ubiquitous power supply for each node that attached in things and it should act as save energy for home utilities. Utilities, company and enterprise which can be save the energy and optimizing energy in the industrial, Mobile -customer by using communication with the intelligence cloud and data center.



FIGURE 1: Application of Internet of things.

2.1 Home and Personal Communication

The sensor collected data is utilize only by individual user and who directly interested the network connection, usually Wi-Fi is access for higher bandwidth data(video) and transfer as well as higher sampling rate(sound). Control of home appliance such as air conditioners, washing machines, refrigerators and etc, will alluded for better consuming energy for the saving money of appliance to getting more benefits and optimization energy to order of reduce cost of living and create pace of mind [7]. The main purpose of home automation is to control all smart devices in the location of home; this work will bring the satisfaction for customer and owner. One of the greatest in automation home is user can protect against of some bad case like, fire or any disaster, user can control light and temperature by using the phone, tablet, computer. Future of home automation will be shown as more security, comfortable energy efficiency and convenience. Nowadays home automation becomes more and more affordable by using operating system which is less complex, so owner can be master to control of all smart devices to order of security and safety [8].

2.2 Healthcare

The ubiquitous healthcare is provided by IoT technologies to the e-health care domain also this scenario was envisioned by two decades, this recent activity of scientists to give a perfect platform of IoT to realizing the sensor body and transfer data to the server for analyzing information [9].

1. Tracking of objects and people (staff and patients): is the target at the identification of person or anybody sensor in the motion, Like case patient monitoring improve workflow in the hospital. Tracking in the motion is the vital point in smart healthcare such as connects to the ambulance and also availability and maintenance of material to prevent during surgery such as blood packet [10].

2. Identification of patients with smart authentication

It's introduce the point identification for prevent and protect of the patient from harmful accident such as (wrong drug, does and time)also for patient specially case of old person, monitoring by comprehensive electronic medical record for analyzing the maintenance and monitoring of the patients ,both case of identification and authentication is improve the frequently used of urgent access of addressing of patients issue and it useful for security process to avoid of losing the important data of patients and instrument products.

3. Data collection from sensors

Automatic data collection is one of the issues in healthcare system. Data should be transfer to the domain and analyzing data help us to reduce the processing time, this function is relevant to the RFID technology. RFID must collected data from RFID reader to the domain of healthcare also clinical application technologies is to purpose of the network and provide the location of RFID for identification the location of patients.

2.3 Industrial

Internet of Things within the environment as an enterprise. Application, information must collect from different actuator or sensors, used by the manager for authorized the person for release the data. Social internet of things is keeps to track of the assets and goods, sensors always been an important of the industrial as setup the security, climate, control, etc[11]. By using sensors there are several test beds implemented and its plane to get the control of network enterprise and eavesdropping, by using the secure channel can do action against of hackers between enterprises in different location. Nowadays some important part of enterprise and governments are facing with the attacker such as military, Nuclear power plant and factory that generated the energy, by using the specific categories of smart sensors and actuators can be protect their assets form attackers.

2.4 Utilities

The information from the network in this application domain is almost for service operation and optimization of consumer for customer. Rather than it was by used of utilities organization such as (smart metric) for calculate of the optimize cost. This utilities has several extra expenses about the reading and analyzing the consumer and management because the monitoring is the strength and efficient resource of management. Measuring, monitoring by control remotely it can case of saving time, cost and headache of employees. Recently smart Grid and smart metric are one of the potential IoT applications. Efficient energy consumption by smart metric can be achieve the by several monitoring in the house for electricity point and modify the utilities consumption by the owner [12]. This data is useful for power plant and utilities organization with load balance of energy in the city for ensuring the high quality of customer and service. One of the important points in the IoT is monitoring of drinking water. Sensors measuring the external parameter are installed at necessary location to order ensuring the supply quality of the water. The same network can be using in agriculture for saving money and time by looking grading or grass remotely. By monitoring solid and humidity can prevent contamination and avoid on-watering with the help of Iot[13].

2.5 Mobile

Transport of IoT is enabling by using the huge WSNs for online monitoring at the travel times, by IoT can choice route, queue of traffic, air pollution and noise emissions. The IoT is likely to changing the traffic information and providing by sensor network in existing traffic control systems. IoT can change the algorithm of the urban traffic with using the mobile communication and tacking the road as online service for the quality of the service in the urban, Bluetooth technology (BT) refers the IoT number of digital products such as (mobile, parking and navigation system) Bluetooth technology is a signal with the unique media access identification number which can be by BT in crowded area [14]. Reader can be installed at the different location in the city and can be capturing the signal of cars in motion, for the purpose of speed in time of vehicle to understanding the pick-up the time in traffic. This scenario also is using in bus and other public transportation vehicles. Another matter issue in mobile IoT domain is efficient management by using of this paradigm can monitoring the item transport as well as efficient transportation planning. Monitoring items is carrying out move location. This will be using the large scale of social internet of things.

3. Key Components of IoT

3.1 RFID (radio frequency identification): is constantly used by identification of objects from a few meters distance. RFID reader usually has communication wirelessly through small battery transponders (tags), which is attached to objects. There are two important scenario, function in

internet of things- (identification, communication). RFID can be determine the approximately location of objects that is provided by the situation of the reader. In 1999, RFID was used to niche application such as animal identification, and access control. Lacks of standards is prevent to the wider use of RFID technology. RFID was coined at MIT Auto-ID center, in 1999 [5]. The team of Auto-ID center was success organization have systemically at vision of cheap and standard transponder for the identifying the billion of objects, which can connect to the network group of Auto-ID center also developed the technology with the commercial partners. One of the important places of using RFID was in the Wal-Mart and Metro as supply chain management. Recently the evaluation of RFID and integration infrastructure technology are the important challenges in internet if things. Resent years reflected not only in technical part also in reducing cost of product and enhance of the standardization, for example, the power consumption of latest RFID is less than 30µ. This consumption with the distance 10 meter possible and is under satisfaction and favorable and situation. RFID major progress has made in categories of standardization with the ISO 18000 RFID protocol-highest and without of batteries in transponder can't be the base of internet protocol. Due to security of the resource, suppose RFID microchip has a few hundred thousand transistors, without any micro-controller like sentroller (sensor/controller). Sentroller are actuators, sensors, control or combination of these three things. RFID has the minimal capacity for storage the data. Generally it has a few bytes capacity by using a battery, but passive RFID microchips can be often be terminated due to 'field nulls'. RFID couldn't transmit the large amount of data packet at 128 bites. Nowadays objects can be more addressed in internet of things by using RFID technology, but it can't the following the exact way of the internet node. RFID is suitable to highly optimization of wireless protocol which will be only over few meters. Due to lake of resource and condition of encountered in the physical world. The RFID reader can be open gate and bridge between two different protocols. HTTP and TCP, these protocol base have been developed by using the RFID environment. The reader can capture the data from the tags and can distributed to the internet.



FIGURE 2: RFID Communication.

Key application for RFID is logistic, where the previous data has hand-fed with information through a keyboard or bar code reader. Data package relating to the logistic operator unites can be the capture automatically without the delay and at detraction of the cost using RFID service. The systematic development of RFID, now become change from the commercial supply chain to the numerous application areas, for example, using of RFID to the supermarket in retail store shelves or attaching the clothing shelf for detection of the location and categories of items in supermarket. RFID is closed-loop application, when RFID system introduced an open-loop application such as supply chain involving the interest of several partners with several differentiations of commercial parties. One of the important scenarios in configuration the technology to the environment is the standardization of the technology and interface to implementation of local application, which should be combination at the point of the time.

3.2 Electronic Product Code (EPC)

Network infrastructure can be play important role [15]. EPC structure is likely RFID and it can be identifier the unique identification for each product. EPC is easy to processing and exchange of the data captured. The EPC-IS standard targets can be the storage of several product information to the EPC code through PML format for storage of data. EPC-IS represent event that can used to communication the RFID data capture by readers, for example, EPC-IS can't tell when and where the particular transponder item was detected, EPC can provide the data on associated business process or event. EPC-ID standard also introduce an interface can used to security for such events in repositories. If the repositories can store the information on particular RFID transponder are known-one of them can flow the trail of things which are attached. In practice, there are several problem associated which this kind of global information scenario, for instance, nobody can know all the repositories, which unrealistic as their number grow in same case the data can be commercially confidential and not normally associated even in face that a organization process data relating to the particular things, that may relating to the applicability, availability, scalability and security, that would be need to achieve before we can access internet of things supports like global queries.

4. SIGNIFICANCE VISION

The IoT is not a single of novel technology for instance, there are several inter-corporation technological developments which taken together to help and take the bridge between the virtual world to the physical world, such as:

- Communication: Objects have to capability to network resource To make use of data, and upgrading that states, wireless sensor technologies, such as actuators, Wi-Fi, GSM, Zigbee, all these technology recently are under the development and standard for a particular purpose of IoT.
- II. Addressability: IoT object can be addresses by discovery object-name-service (ONS)

And have remotely integrated together.

- III. Identification things: objects have unique identification, such as RFID, EPC, NFC and automatically read the labels or bar codes, which technology even the passive and active actuators. Identification can be linked to information that achieved by sensors and can be send data to the server or capturing the data by sensors or controllers.
- IV. Sensing: Sensors should collect the data from the objects and forward if the readers.
- V. embedded processing: Smart objects processing or micro controllers, this device can be used to process sensor information or product a "memory" of how they should be.
- VI. Localization objects: smart things location is the physical location. Mobile or any satellite (GPS) is more suitable to achieve this (ultra, wide band), radio frequency (WSN, RFID reader).
- VII. User interface: The target of smart object is to communicate with the people in a appropriate way (voice display, image). Most application need a subset of these capacities because the implementations of all are expensive and often required significant technological and technical effort.

5. CONCLUSION

Internet has changed forcefully in the way of we live, and interaction between people at virtual level in several context of professional life to social relationships. IoT has potential to new

dimension by enabling the processing communication by the smart objects, to achieve the vision of ", anywhere, anything, anytime, any media " communication. In this paper we trying to show, the IoT should be as important part of future. In this paper we effort to show the comprehensive vision of application domain that is in IoT as well as Ring in our daily lives. We show the important vision as capability the gap between the virtual and physical world. Finally we show two scenario of EPC, RFID as key component of IoT which can be bring the sensors or any actuators from device and reader in environment.

6. **REFERENCES**

- [1] D.Giusto,A.lera,G.Morabito,I.Atzori(Eds.)The Internet of Things, Springer, 2010. ISBN :978-1-4419-1673-0.
- [2] McKinsey Global Institute " Disruptive technologies: Advances that will transform life, business, and the global economy". report by May 2013.
- [3] Fleisch, E.: What is the Internet of Things? When Things Add Value. Auto-ID Labs White Paper WP-BIZAPP-053, Auto-ID Lab St. Gallen, Switzerland (2010).
- [4] Schoenberger, C.R.: The internet of things. Forbes Magazine, March 18 (2002).
- [5] European Commission: Internet of Things An action plan for Europe. COM(2009) 278,http://eur-lex.europa.eu/LexUriServ/site/en/com/2009/com2009_0278en01.pdf (2009).
- [6] A. Gluhak, S. Krco, M. Nati, D. Pfisterer, N. Mitton, T. Razafindralambo, A survey on facilities for experimental Internet of Things research, IEEE Communications Magazine 49 (2011) 58–67.
- [7] H.S. Ning, Z.O. Wang, Future Internet of Things architecture: like mankind neural system or social organization framework? IEEE Communications Letters 15 (2011) 461–463.
- [8] L. Atzori, A. Iera, G. Morabito, SIoT: giving a social structure to the Internet of Things, IEEE Communications Letters 15 (2011) 1193–1195.
- [9] L. Atzori, A. Iera, G. Morabito, The Internet of Things: a survey, Computer Networks 54 (2010) 2787–2805.
- [10] A.M.Vilamovska, E.Hattziandreu, R.Schindler, C.Van Oranje, H.De Vries, J. Krapelse, RFID Application in Healthcare-Scoping and Identifying areas for RFID Deployment in Healthcare Delivery, RAND Europe, February 2009.
- [11] X. Li, R.X. LU, X.H. Liang, X.M. Shen, J.M. Chen. X.D. Lin, Smart community : an internet of things application, IEEE Communication Magazine 49(2011).
- [12] M, Yun, B Yunix. Research on the architecture and key technology of internet of things(IoT) applied on smart grid, in:Advance in Energy Engineering, ICAEE,2010.
- [13] H, Jun-Wei, Y,Shouyi, L. Lebio,Z zhen, W .Shaojum, A crop monitoring system based on wireless sensor network,Procedia Environmental Science 11(2011).
- [14] P.Kumar, S. Ranganath, W. Huang, K.Sengupta. Framework for real-time behavior interpretation from traffic video, IEEE transaction on intelligent Transportation system (2005).
- [15] Thiesse, F., Floerkemeier, C., Harrison, M., Michahelles, F., Roduner, C.: Technology, Standards, and Real-World Deployments of the EPC Network. IEEE Internet Computing, 13(2):36–43 (2009).